

Currently we require 2 working day for order entry.

TROX Austria GmbH: Currently we require 5-6 working days for order entry  
and delivery within Austria.

Please note the following:

- All dates are stated in working days (Mo. to Fr.)
- The day of submission of order is not calculated in the advised delivery or despatch date.
- All dates are guidelines, which may depend on order income, material availability and may therefore change with short notice
- Lead times for special constructions are subject to availability of material.
- Please request current lead times for special colour shades or special constructions.
- If products with varying delivery times are ordered, the longer delivery time is valid overall.
- Not valid for non-standard paints and coatings, so far no dates are given for this
- For orders exceeding 50 pieces per production group, please address your enquiries to your customer service contact.

Climate 1		
Product	Type / Series	KW 31 / 2024
<b>Grilles - Volume control sets</b>		<b>working days</b>
Lüftungsgitter	ASL · AT · VAT · AH · AF · AWT · AGS	25-30
Grilles (steel)	TR · TRS	5 - 6
Grilles	X-GRILLE Basic, Cover	12 - 13
Grilles	X-GRILLE modular	on request
Volume control sets	AG · DG	6 - 7
Volume control sets	AGW · DGW · ASW	10 - 11
Grilles (pipe / duct Instalation)	TRS-K · TRS-R	7 - 8
<b>Air valves - Jet nozzles</b>		<b>working days</b>
Air valves	LVS · Z-LVS	7 - 8
Jet nozzles	DUK-F	7 - 8
Jet nozzles	DUK-V - with actuator, duct connection element or spigot	10 - 11
Jet nozzles	DUK-V	3 - 4
Jet nozzles	DUK-V - with connection element	20 - 21
Jet nozzles	DUK-V-A / DUK-V-K	11 - 12
- powder-coated (P1)		on request
Jet nozzles	TJN < 35	10 - 11
Jet nozzles	TJN > 35 pcs	11 - 12
Jet nozzles	TJN - with connection element	on request
Jet nozzles	TJN - with actuator, duct connection element or spigot	14 - 15
Jet nozzles	TJN - with outer casing	14 - 15
Displacement flow diffusers	QLE	15 - 16
Displacement flow diffusers	QLI	15 - 16
Displacement flow diffusers	QLV	15 - 16
Displacement flow diffusers	QLF	15 - 16
Floor diffusers	FBA · FBK	on request
Staircase diffuser	SD	10 - 11
Staircase diffuser	SDRF	on request
Displacement diffusers	QSH (variant T with prior agreement)	15 - 16
Displacement diffusers	ISH (variant T with prior agreement)	15 - 16
<b>Slot diffusers</b>		<b>working days</b>
Slot diffusers	PL 18	10 - 11
Slot diffusers	PL 35	10 - 11
Slot diffusers	PL 50	10 - 11
<b>Slot diffusers for wall installation</b>		<b>working days</b>
Wall diffusers	CFS	11 - 12
Wall diffusers	CFE	11 - 12
Wall diffusers	CHS	11 - 12
Wall diffusers	CHM	11 - 12

Swirl diffuser (depending on the plenum boxes - s. 2.6)		working days
Swirl diffuser (fixed)	RFD	10 - 11
Swirl diffuser (fixed)	RFD with frame extension	10 - 11
Swirl diffuser (fixed)	FD	10 - 11
Swirl diffuser (adjustable)	VDW (with prior agreement 2 - 3 working days)	10 - 11
Swirl diffuser SilentAIR (adjustable)	TDV (with prior agreement 2 - 3 working days)	10 - 11
Swirl diffuser SilentAIR (fixed)	TDF	10 - 11
Swirl diffuser (adjustable)	VD	15 - 16
Swirl diffuser (adjustable)	VD-E, VD-S	15 - 16
Swirl diffuser (adjustable)	VDL	15 - 16
Swirl diffuser (adjustable)	VDL - protection grid (size 315+400)	15 - 16
Swirl diffuser (adjustable)	VDL - protection grid (size 630+800)	15 - 16
Swirl diffuser perforated cover plate	DCS	10 - 11
Swirl diffuser (fixed)	Xarto-Q	10 - 11
Swirl diffuser (fixed)	Xarto-R / -C	10 - 11
Swirl diffuser	Airnamic	10 - 11
Swirl diffuser	Airnamic - Diffuser face	3 - 4

Ceiling diffusers (depending on the plenum boxes - s. 2.6)		working days
Ceiling diffusers (square) steel	DLQ	10 - 11
Ceiling diffusers Aluminium	ADLR · ADLR-Q · ADLQ	on request
Ceiling diffusers (adjustable)	VDR	15 - 16

Ceiling diffusers (depending on the plenum boxes - s. 2.6)		working days
Ceiling diffusers (perforated cover)	DLQL	10 - 11

Air water systems		working days
Air water systems	DID · AKV · PKV	on request

Plenum boxes for Swirl- and Ceiling Diffuser		working days
plenum boxes	Universal-plenum boxes (AK001 - AK033)	5 - 6
plenum boxes	AK007	10 - 11
plenum boxes	other plenum boxes	10 - 11
plenum boxes	AK-R	11 - 12

Climate 2		
Product	Type / Series	KW 31 / 2024
Multileaf dampers · External louvres		working days
Multileaf dampers	JZ-P · JZ-S · JZ-HL · JZ-LL (JZ-A · JZ-B · JZD-B · JZ-L)	14 - 15
Multileaf dampers	JZ-P-A2 · JZ-S-A2 (JZ-LL-A2 airtight +2 wd) (JNE-A · JNE-B · JNE-L)	17 - 18
Multileaf dampers	JZ-G	14 - 15
Multileaf dampers	JZ-LL-AL (JZD-G) · JZ-HL-AL (JZ-G2)	14 - 15
External louvres	WG	on request
External louvres	WG-AL (AWG)	on request
External louvres	WGK-AL (AWK)	on request
External louvres	WG-A2 (WGE)	on request
External louvres	WG-F	on request
- powder-coated ( P1 )		+3AT
- colored anodizing ( S2 )		+10AT
- natural-colored anodizing ( S3 )		+10AT
Pressure relief dampers	UL - KUL	on request
Combinations		working days
External louvres-Multileaf dampers	WG-JZ-P · WG-JZ-S (WG-JZ-A · WG-JZ-B)	on request
External louvres-Multileaf dampers	WG-AL-JZ-P · WG-AL-JZ-S (AWG-JZ-A · AWG-JZ-B)	on request
External louvres-Pressure relief dampers	WG-KUL	on request
External louvres-Pressure relief dampers	WG-AL-KUL (AWG-KUL)	on request
Non-return dampers		working days
Non-return dampers	ARK · ARK1 · ARK2	20 - 21
Shut off dampers, gasproof	N-AK	on request

Fire protection		working days
Fire dampers (angular)	FK2-EU	7 - 8
Fire dampers (angular) - export	FKA2-EU	5 - 6
Pressure relief damper	FK2-DV	on request
Certain quantities of FK2-EU (standard) including accessories Z00- Z03 and Z43/Z45 subject to prior agreement, if required (expressservice)		3 - 4
Fire dampers (circular)	FKR-EU	5 - 6
Fire dampers (circular) - export	FKR-EU	5 - 6
- installation kit TQ		10 - 11
Fire dampers (circular)	FKRS-EU	5 - 6
Fire dampers (circular) - export	FKRS-EU	5 - 6
- with installation kit TQ2, GL2, WA2, WE2	FKRS-EU	7 - 8
- with installation block ER	FKRS-EU	8 - 9
Certain quantities of FKRS-EU (standard) including accessories Z00- Z03 and Z43/Z45 subject to prior agreement, if required (express-service)		3 - 4
Fire dampers (angular)	FK-T	on request
Fire dampers (angular) for suspended ceilings	KU-K30	6 - 7
Fire resistant valves for air conditioning systems	FV-EU · FVZ-K30	5 - 6
Smoke dampers (angular)	EK2-EU	7 - 8
Smoke damper (angular)	EK-JZ	7 - 8
Smoke dampers (angular)	EK-JS	14 - 15
Smoke dampers (angular)	EK-JS - powder-coated construction (-P1)	+2AT
Smoke dampers (angular)	EK-JS - stainless steel construction (-A2)	on request
Smoke protection dampers	JZ-RS	14 - 15
Smoke detectors	RM-O-3-D	5 - 6
fire damper for exhaust air in commercial kitchens	KA-EU	on request
Fire protection		working days
- with powder-coated (angular dampers)		+2AT
- with powder-coated (circular dampers)		+2AT
- Housing, stainless steel (angular dampers)		+5AT
- Housing, stainless steel (circular dampers)		+5AT

VAV: Variable volume flow control - VARYCONTROL		working days
VARYCONTROL VAV-Unit (with acoustic cladding)	TVZ · TVA · TVM · TS	7 - 8
VARYCONTROL VAV-Unit	TZ-Silenzio · TA-Silenzio	5 - 6
VARYCONTROL VAV-Unit (with acoustic cladding)	TVR	10 - 11
VARYCONTROL VAV-regulator	TVR - stainless steel	+2AT
VARYCONTROL VAV-regulator	TVR - powder coated	+2AT
VARYCONTROL VAV-regulator	TVR - EX	on request
VARYCONTROL VAV-regulator (plastic)	TVRK	on request
VARYCONTROL VAV-regulator	TVR / Easy / V07	4 - 5
VARYCONTROL VAV-regulator	TVR-D / Easy / V07	7 - 8
VARYCONTROL VAV-EasySet	VAV-EasySet	7 - 8
VARYCONTROL VAV-regulator	TVJ	6 - 7
VARYCONTROL VAV-regulator	TVT	6 - 7
VARYCONTROL VAV-regulator	TVJ / Easy	6 - 7
VARYCONTROL VAV-regulator	TVJ-D / Easy	6 - 7
VARYCONTROL VAV-regulator	TVT / Easy	6 - 7
VARYCONTROL VAV-regulator	TVT-D / Easy	6 - 7
VARYCONTROL VAV-regulator	LVC	10 - 11
VARYCONTROL VAV-regulator	TVE	10 - 11
VARYCONTROL VAV-regulator	TVE - powder-coated construction (-P1)	+2AT
VARYCONTROL VAV-regulator	TVE - stainless steel construction (-A2)	+2AT
VARYCONTROL VAV-regulator	TVE (with acoustic cladding)	10 - 11
KVS: Konstantvolumenstrom-Regler		working days
Volume flow rate controller	RN · RN-D · RN-S · RN-EX	4 - 5
Volume flow rate controller	RN · RN-D · RN-S - stainless steel construction (-A2)	7 - 8
Volume flow rate controller	RN · RN-D · RN-S - powder-coated construction (-P1)	7 - 8
Volume flow rate controller	RN · RN-D · RN-S with option FL G2	7 - 8
Volume flow rate controller	EN · EN-EX	6 - 7
Volume flow rate controller acoustic cladding	EN-D	6 - 7
Volume flow rate controller	powder-coated construction (-P1)	+2AT
Volume flow rate controller	VFC	4 - 5
Volume flow limiter	VFL	4 - 5
Volume flow rate controller	VFL adjustment to customer	4 - 5
Heat exchanger / Shut-off and Flow adjustment dampers / Volume flow rate measuring units		working days
Reheat coils	WL · WT · EL	on request
Shut off dampers	AK - standard	7 - 8
Shut off dampers	AK - stainless steel construction (-A2)	+2AT
Shut off dampers	AK - powder-coated construction (-P1)	+2AT
Shut off dampers (explosion proof)	AK - EX	on request
Shut off dampers housing plastic	AKK	on request
Volume flow rate controller	VFR	4 - 5
Volume flow devices	VMR	10 - 11
Volume flow rate measuring units	VMR - powder-coated construction (-P1)	+2AT
Volume flow devices housing, plastic	VMRK	on request
Volume flow devices housing, plastic	VME	7 - 8
VAV: Variable volume flow control - LABCONTROL		working days
LABCONTROL VVS-regulator EASYLAB	TVR · VMR	10 - 11
LABCONTROL VVS-regulator EASYLAB	TVZ · TVA	5 - 6
LABCONTROL VVS-regulator EASYLAB	TVJ · VME	6 - 7
LABCONTROL VVS-regulator EASYLAB	TVT	6 - 7
LABCONTROL VVS-regulator EASYLAB	TA · TZ Silenzio	5 - 6
VARYCONTROL VAV-regulator	powder-coated construction (-P1)	+2AT
LABCONTROL VVS-regulator EASYLAB	TVLK · VMLK (variant FL - on request)	10 - 11
LABCONTROL VVS-regulator EASYLAB	TVRK · VMRK	on request
Monitoring systems · additional components	FMS· LON-WA5/B · Router LonWorks/BACnet	7 - 8
Sound attenuators		working days
Sound attenuators	MS · XS · TX	15 - 16
Sound attenuators with special thickness	MS · XS · TX	+3AT
secondary silencer	TX	15 - 16
Rectangular sound attenuators	TS	7 - 8
Sound attenuator splitters	MK · XK	16 - 17
Sound attenuator splitters with coating	MK · XK	+3AT
Circular sound attenuators	CA ·	on request
Circular sound attenuators	CAK	on request
Circular sound attenuators	CF	15 - 16
Sound absorbing external louvre	NL · NLH · NLD	on request

X-CUBE compact		
Product	Type / Series	KW 31 / 2024
X-CUBE compact		working days
X-CUBE compact Rotary heat exchanger	X-CUBE C - R (R1300 on request)	15-20 AT
X-CUBE compact Counter flow plate heat exchanger	X-CUBE C - P (P1230 + P1800 on request)	15-20 AT
Water-resistant roof	XCC-RO	11 - 12
Heating coil	XCC-HD	11 - 12
Heating coil module	XCC-HM	11 - 12
Heating coil / cooling module	XCC-HCM	11 - 12
Electric duct air heater	XCC-EHD	11 - 12
Room control panels	XCC-CD	11 - 12
LON interface	XCC-LON	11 - 12
Sensor	XCC-S	11 - 12
Valve assembly	XCC-V	11 - 12
Recirculation pump	XCC-P	11 - 12
Filter	XCC-Filter	11 - 12
Eyebolts	XCC-LE	11 - 12
Control components	XCC-MSR	11 - 12
Parts kit	XCC-CPC	11 - 12

## Filter

Product	Type / Series	KW 31 / 2024
<b>Filterunits</b>		<b>working days</b>
Standard cell frames	SCF · MF (F210M · F220 · F240M · F242M )	19 - 20
Special installation frames and flat steel stiffeners	SIF (B221)	19 - 20
Universal ducted casing	UCA (F340 - F345)	19 - 20
Ducted casing for particulate filters	DCA (F383)	19 - 20
KSF filter casings	KSF (F352 · F353)	11 - 12
KSF filter casings for sensitive areas	KSFS (F361 - F370)	11 - 12
- Housing, stainless steel		+5-10
Pharmaceutical clean room terminal filters	TFP (F620 - F624)	18 - 19
High efficiency terminal filters	TFM (F631) TFC (F640 · F650 · F660) without diffuser	18 - 19
High efficiency terminal filters	TFC (F654 · F655 · F656 · F659) without diffuser	18 - 19
Particulate filter wall grille	TFW (F670) without grille	18 - 19
- Housing, stainless steel		+5-10
Measuring and testing instrumentation	MD (M536)	5 - 6
<b>Filter Media</b>		<b>working days</b>
Cardboard frame filter	F702E	6 - 7
roll media	FMR (F702B10 - F715B10)	8 - 9
Chemical- and glass fibre filter mats	FMP (F702 - F715D)	12 - 13
Z-Line Filter	ZL-...-NWO T= 47/92 mm (F718E · F719E · F722E)	
Z-Line Filter (Coarse-60% /Coarse-90%)	ZLW-...-CBC/CBG/CBS/PLA/PLAF	13 - 14
Z-Line Filter (Coarse-60% /Coarse-90%)	ZLW-...-AL/GAL/STA	13 - 14
Chemical fibre pocket filter insert	PFC (F743+F745)	12 - 13
Synthetic fibre pocket filter insert	PFS (F725 - F730)	12 - 13
Glass fibre pocket filter insert	PGF (F744 - F749)	12 - 13
NanoWave pocket filter	PFN (F766 -F769)	12 - 13
Minipleat filter insert with plastic frame PLA	MFI-...-PLA	14 - 15
Minipleat filter insert with frame of galvanised steel	MFI-...-SPC, GAL	20 - 21
Minipleat filter insert, ATEX-version	MFI-...-EX	25 - 26
Minipleat filter insert, T160-version	MFI-...-T160-...	on request
Minipleat filter cell	MFC	20 - 21
Minipleat filter cell, T160-version	MFC-...T160-...	on request
Minipleat filter panel	MFP MDF PLA (F756 - F782)	17 - 18
- with scan test (ST)		+3AT
Minipleat filter panel	MFP GAL/STA (F756 - F782)	19 - 20
- with scan test (ST)		+3AT
Clean room minipleat filter panel	MFPCR (F781 - F788)	19 - 20
Filter cartridge	MFCA (F781AR)	20 - 21
Activated carbon filter panel and cell	ACF (F760 J)	3 - 4
activated carbon filter	ACFI (F760F)	14 - 15
Activated carbon filter cartridge	ACFC PLA•GAL 450•600mm (F760K+M)	3 - 4